

Kangaroo Care with Full Term Infants

Bibliography

Barbara Morrison

- Alberts, J~ (1994). Learning as adaptation of the infant, *Acta Paediatrica Supplement*, 397, 77-85.
- Anderson, G. C., Chiu, S.-H., Morrison, B., Burkhammer, M., & Ludington-Hoe, S. (2004). Skin-to-skin for breastfeeding difficulties postbirth. In T. Field (Ed.), *Touch and massage in early child development* (pp. 115-136). New Brunswick, NJ: Johnson & Johnson, LLC.
- Anisfeld, E., & Lipper, E. (1983). Early contact, social support, and mother-infant bonding. *Pediatrics*, 72, 79-83. Bergman, N. (2002). Kangaroo mother care ii: Geddes Productions. Boggs, K., Walters, M., Moorison, B., & Ludington-Hoe, S. (2006). Kangaroo care at birth for fullterm infants. *MCN The American Journal of Maternal Child Nursing*.
- Bystrova, K., Windstrom, A.-M., Matthiesen, A.-S., Ransjo-Arvidson, A.-B., Welles-Nystrom, B., Wassberg, C., Vorontsov,i., & Uvnas-Moberg, K. (2003). Skin-toskin contact may reduce negative consequences of "the stress of being born": A study on temperature.in newborn infants, subjected to different ward routines in st. Petersburg. *Acta Paediatrica*, 92(3),320-326.
- Carlsson, S., Fagerberg, H., Horneman, G., Hwang, C.-P., Larsson, K., Rodholm~ M., & Schaller, J. (1978). Effects of amount of contact between mother and child on mother's nursing behavior. *Developmental Psychobiology*, 11(2), 143-151.
- Carlsson, S., Fagerberg, H., Horneman, G., Hwang, C.-P., Larsson, K., Rodholm, M., & Schaller, J. (1979). Effects of various amounts of contact between mother and child on mother's nursing behavior: A follow-up study. *Infant Behavior and Development*, 2,209-214.
- Carlsson, S., Larsson, K., & Schaller, I. (1980). Early mother child contact and nursing. *Reproductive Nutritional Development*, 20,881-889.
- Chiu, S.-H., Anderson, G. C., & M.D., B. (2005). Newborn infant temperature during skin-to-skin breastfeeding in dyads having breastfeeding dificulties. *Birth*, 32, 115-121.
- Christens son, K. (1996). Fathers can effectively achieve heat concentration in healthy newborn infants. *Acta Paediatrica*, 85(11), 1354-1360.
- Christens son, K., Cabrera, T., Christens son, E., Uvnas-Moberg, K., & Winberg, I. (1995). Separation distress call in the human neonate in the absence of maternal body contact. *Acta Paediatrica*, 84(5),468-473.
- Christensson, K., Siles, C., Moreno, L., Belaustequei, A., De La Fuente, P., Lagercrantz, H., Puyil, P., & Winberg, I. (1992). Temperature, metabolic adaptation and crying in healthy fullterm newborns cared for skin-to-skin pr in a cot. *Acta Paediatrica*, 81((6-7)),488-493.
- Chwo, M.-J., & Huang, L.-H. (March 21,2002). *Effects of very early kangaroo care on infant's extrauterine adaptation and maternal birth-related fatigue*. Paper presented at the International Conference on Tradition, Evidence, and Innovations in Nursing, Phuket, Thailand.

- Craig, S., Tyson, J., Samson, J., & Lasky, R. (1982). The effect of early contact on maternal perception of infant behavior. *Early Human Development*, 6(2), 197-204.
- Curry, M. (1979). Contact during the first hour with wrapped or naked newborn: Effect on maternal attachment behaviors at 36 hours and three months. *Birth and Family Journal*, 6, 277-235.
- Curry, M. (1982). Maternal attachment behavior and the mother's self concept: The effect of early skin-to-skin contact. *Nursing Research*, 31(2), 73-78.
- de Chateau, P., & Wiberg, B. (1977a). Long-term effects on mother-infant behaviour of extra contact during the first hour post partum. I. First observations at 36 hours. *Acta Paediatrica Scandinavica*, 66, 137-143.
- de Chateau, P., & Wiberg, B. (1977b). Long-term effects on mother-infant behaviour of extra contact during the first hour post partum. II. A follow-up at three months. *Acta Paediatrica Scandinavica*, 66, 145-151.
- de Chateau, P., & Wiberg, B. (1984). Long-term effect on mother-infant behaviour of extra contact during the first hour post partum. III. Follow-up at one year. *Scandinavian Journal of Social Medicine*, 12, 91-103.
- Durand, R., Hodges, S., LaRock, S., Lund, L., Schmid, S., Swick, D., Yates, T., & Perez, A. (1997). The effect of skin-to-skin breastfeeding in the immediate recovery period on newborn thermoregulation and blood glucose values. *Neonatal Intensive Care* (March/April), 23-27.
- Fardig, J. (1980). A comparison of skin-to-skin contact and radiant heaters in promoting neonatal thermoregulation. *Journal of Nurse Midwifery*, 25(1), 19-27.
- Ferber, S., & Makhoul, I. (2004). The effect of skin-to-skin contact (kangaroo care) shortly after birth on the neurobehavioral responses of the term newborn: A randomized, controlled trial. *Pediatrics*, 113(4), 858-865.
- Gardner, S. (1979). The mother as incubator - after delivery. *Journal of Obstetric Gynecologic and Neonatal Nursing*, 8, 174-176.
- Gomez Papi, A., Baiges Nogues, M., Batiste Fernandez, M., Marca Gutierrez, M., Nieto Jurado, A., & Closa Monasterolo, R. (June 1998). Metodo canguro en sala de partos en recien nacidos a termino (spanish). *An Espanol de Pediatría*, 48(6), 631-633.
- Gray, L., Watt, L., & Blass, E. (2000). Skin-to-skin contact is an analgesic in healthy newborns. *Pediatrics*, 105(1), e14.
- Hales, D., Kennell, J., Klaus, M., Mata, L., Sosa, R., & Urrutia, J. (1975). The effects of early skin-to-skin contact on maternal behavior at 12 hours. *Pediatric Research*, 9, 259.
- Hales, D., Kennell, J., & Sosa, R. (1976). How early is early contact? *Pediatric Research*, 10, 259.
- Hales, D., Lozoff, B., Sosa, R., & Kennell, J. (1977). Defining the limits of the maternal sensitive period. *Developmental Medical Child Neurology*, 19, 454-461.
- Harris, H. (1994). Remedial co-bathing for breastfeeding difficulties. *Breastfeeding Review*, 2(10), 465-468.
- Johanson, R., Spencer, S., Rolfe, P., Jones, P., & Malla, D. (1992). Effect of post delivery care on neonatal body temperature. *Acta Paediatrica*, 81(11), 859-863.

- Kennel, J., & McGrath, S. (2003). Beneficial effects of postnatal skin-to-skin contact. - *Acta Paediatrica*, 92(3),272-273.
- Matthiesen, A.-S.,Ransjo-Arvidson, A.-B., Nissen, E., & Uvnas-Moberg, K. (2001). Postpartum maternal oxytocin release by newborns: Effects of hand massage and sucking. *Birth*, 28, 139.
- Mazur, J., & Mikiel-Kostyra, K. (2000). Determinants of newborn feeding in maternity hospital care. Part ii: Factors associated with exclusive breastfeeding. *Ginekologia Polska*, 71(7),604-610.
- Mazurek, T., Mikiel-Kostyra, K., Mazur, J., Wieczorek, P., Radwaska, B., & Pachuta Wegier, L. (1999). Influence of immediate newborn care on infant adaptation to the environment. *Medycyna Wieku Rozwojowego*, 3(2),215-224.
- Michelsson, K., Christens son, K., Rothganger, K., & Winberg, J. (1996). Crying in separated and non-separated newborns: Sound spectrographic analysis. *Acta Paediatrica*, 85(4),471-475.
- Mikiel-Kostyra, K., Boltruszko, I., Mazur, J., & Zielinska, M. (2001). Skin-to-skin contact after birth as a factor determining breastfeeding duration. *Medycyrza Wieku Rozwojowego*, 5, 179-189.
- Mikiel-Kostyra, K., & Mazur, J. (1998). Determination of newborn feeding in maternity hospital care. Part i: Factors associated with breastfeeding initiation. *Ginekolgia Polska*, 69(11),783-788.
- Mikiel-Kostyra, K., & Mazur, J. (2000). Birth weight as a factor influencing infant feeding in polish maternity wards. *Medycyna Wieku Rozwojowego*, 4(3),337-346.
- Mikiel-Kostyra, K., Mazur, J., & Boltruszko, I.(2002). Effect of early skin-to-skin contact after delivery on duration of breast feeding: A prospective cohort study. *Acta Paediatrica*, 91(12), 1301-1306.
- Newport, M. (1984). Conserving thermal energy and social integrity in the newborn. *West Journal of Nursing Research*, 16, 175-190.
- Punthmatharith, B., & Anderson, G. C. (April 2001). *Randomized control trial or early kangaroo care: Effects on maternal feelings, maternal-infant interaction, and breastfeeding success in thailand*. Paper presented at the Proceedings of Midwest Nursing Research Society Meeting, Cleveland, Ohio.
- Righard, L., & Alade, M. O. (1990). Effect of delivery room routines on success of first breast-feed. *Lancet*, 336, 1105-1107.
- Rosenblatt, J. S. (1994). Psychobiology of maternal behavior: Contribution to the clinical understanding of maternal behavior among humans. *Acta Paediatric Supplement*, 394,3-8.
- Shiau, S.-H. (1997). *Randomized controlled trial of kangaroo care with fullterm infants: Effects on maternal anxiety, breastmilk maturation, breast engorgement, and breastfeeding status*. Case Western Reserve University, Cleveland.
- Shiau, S.-H. (July 2000). *The effects of kangaroo care on breastfeeding status an~breastfeeding duration of fullterm newborns from day 2 after delivery to one-year of age*. Paper presented at the International Congress of Infant Studies, Brighton, England.
- Sontheimer, D., Fischer, C., & Buch, K. (2004). Kangaroo transport instead of incubator transport. *Pediatrics*, 113(4); 920-923.